

PGG Wrightson Turf



# DANGER

Keep out of reach of children

# Mostox<sup>®</sup>

## Herbicide

*For the control of moss in fine turf, cotula bowling greens, lawns, paths and on other hard surfaces.*

*Contains: 432g/litre dichlorophen as the sodium salt in the form of a soluble concentrate*



**READ LABEL BEFORE USE**

**Net Contents  
5 LITRES**

Approved pursuant to the HSNO Act 1996, No. HSR000444  
See [www.epa.govt.nz](http://www.epa.govt.nz) for approval conditions.

02/14



This product must be under control of an approved handler during use.  
A record must be kept of the use and disposal of this product.

**HSNO Classifications:** 6.1E, 8.1A, 8.2C, 8.3A, 9.1A

Warning – may be harmful if swallowed.

Danger – may cause severe skin burns.

Danger – may cause serious eye damage.

Warning – may be corrosive to metals.

Warning – very toxic to aquatic life. Do not apply onto or in water.



**PRECAUTIONS:**

**PERSONAL PROTECTION:** Do not eat, drink or smoke while using. Wear protective clothing such as impervious gloves, waterproof hat, coat and trousers when using. Remove protective clothing and wash hands and face thoroughly before meals and after work. Wash all contaminated clothing before re-use. May be harmful if swallowed, inhaled or absorbed through the skin. Avoid skin contact or inhalation. Avoid contact with the eyes.

**STORAGE:** Store in original container tightly closed and in a locked dry, cool, well-ventilated area, away from food stuffs. When stored appropriately this product should show no significant degradation for 2 years from the date of manufacture. Contact your supplier for further information about the use of this product if it is older than this. Do not store Mostox® below 5°C.

**SPILLS AND DISPOSAL:** When dealing with spills wear personal protective clothing and equipment as described in the PERSONAL PROTECTION section. Sweep up spilled material, collect and store in properly labelled, sealed drums for safe disposal. Avoid creating dust. If spray mixture is spilled, contain and absorb in suitable inert absorbent material and collect in drums as above. Deal with all spillages immediately. If contamination of drains, streams, watercourses, etc. is unavoidable, warn the local water authority.

**Disposal:** Dispose of this product only by using according to the label or at an approved landfill.

**Container Disposal:** Triple rinse container and add residue to mixture. Take container to an Agrecovery collection site. Alternatively, burn if circumstances, especially wind direction, permit. Otherwise bury in a suitable land fill.

**FIRST AID:**

If swallowed, rinse mouth. Do NOT induce vomiting. For advice, contact the National Poisons Centre 0800 POISON (0800 764766) or a doctor immediately. If skin contact occurs, remove contaminated clothing and flush skin with running water, if irritation occurs seek medical advice. If splashed in eyes, rinse continuously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If inhaled remove to fresh air and keep at rest in a position comfortable for breathing.

**BEWARE:** This product may stain if used on light coloured surfaces.

FOR USE ON RECREATIONAL TURF SPECIES ONLY. DO NOT APPLY THIS PRODUCT WHERE ANIMALS MAY GRAZE.

**DIRECTIONS FOR USE**

**Mixing:**

Add the required amount of *Mostox* to clean water in the spray tank.

Ensure thorough mixing before spraying. Do not mix with any other pesticide or add wetting agent.

**Rates of Application:**

Fine turf, Amenity turf,

Lawns, Hard surfaces

Cotula Bowling greens

Use 5-10ml per m<sup>2</sup>  
(500ml-1.0 litre per 100 m<sup>2</sup>).

Use 4-6ml per m<sup>2</sup>(400-600ml per 100 m<sup>2</sup>)  
before moss becomes too dense.

Apply through any standard boom or knapsack sprayer, giving uniform coverage at a spray volume of 500-1000 litres of water per hectare (5-10 litres per 100 m<sup>2</sup>) apply to thoroughly wet the moss.

**Timing of Application**

*Mostox* is best applied in slow drying conditions: application to wet turf or prior to rainfall may assist coverage. Application should be made before moss becomes too dense, when chemical penetration and coverage may be affected. Mow lawns and allow to recover for one day before treating with *Mostox*. Avoid mowing lawns for as long as possible after treatment. N.B. Coarse leaved grasses may show symptoms of spotting following treatment. Growth will not be depressed and affected leaves will be removed during mowing.

**CONDITIONS OF SUPPLY – READ BEFORE BUYING AND USING.**

**IF THESE CONDITIONS ARE UNACCEPTABLE, RETURN AT ONCE UNOPENED.**

This product is of a high grade and conforms to the chemical description on the label. However, all warranties of any kind, expressed or implied, with respect to the fitness for purpose (including crop injury, ineffectiveness or any other unintended consequence), merchantable quality or any other matter, are expressly excluded. To the extent permitted by law, buyers and/or users accept that neither the manufacturer, PGG Wrightson Ltd as distributor, nor any other of its distributors, accept any liability (including in negligence, tort and equity) or responsibility whatsoever for any loss, damage or injury whether direct, indirect or consequential, howsoever arising in connection with this product including without limitation storage, application, handling or use. The Terms of Sale that apply to this product are located at [www.pggwrightson.co.nz](http://www.pggwrightson.co.nz) > Our Company > Terms & Conditions > Terms of Sale.

Date of Manufacture:

Batch No.:

*Mostox*® is a registered trademark of Bayer

Distributed by:



57 Waterloo Road, Hornby 8042  
PO Box 939, Christchurch 8140  
New Zealand  
Ph (03) 372 8719  
Fax (03) 372 0836



UN 1760  
CORROSIVE LIQUID, N.O.S. (DICHLOROPHEN (SODIUM SALT))  
DO NOT STORE BELOW 5°C

PACKING GROUP III  
HAZCHEM CODE 2 X MARINE POLLUTANT

IN A TRANSPORT EMERGENCY DIAL 111  
POLICE OR FIRE BRIGADE

