



HSNO CLASSIFICATIONS

6.1D, 8.2B, 8.3A, 9.1A, 9.3B

TOXICITY

Causes severe skin burns and eye damage. Harmful if swallowed, inhaled or absorbed through the skin.

ECOTOXIC

Very toxic to aquatic organisms. Do not apply onto or into water. Avoid contamination of any water supply with product or empty container.

Harmful to terrestrial vertebrates.

Take all reasonable steps to ensure that the substance does not cause any significant adverse effects to the environment beyond the application area.

CONDITIONS OF SUPPLY – Read before buying and using.

If these conditions are unacceptable, return at once unopened.

This product is of a high grade and conforms to the chemical description on the label. However, all warranties of any kind, expressed or implied, with respect to the fitness for purpose (including crop injury, ineffectiveness or any other unintended consequence), merchantable quality or any other matter, are expressly excluded. To the extent permitted by law, buyers and/or users accept that neither Agritrade (part of PGG Wrightson Ltd) as distributor, nor any other of its distributors, accept any liability (including in negligence, tort and equity) or responsibility whatsoever for any loss, damage or injury whether direct, indirect or consequential, howsoever arising in connection with this product including without limitation storage, application, handling or use. The Terms of Sale that apply to this product are located at pggwrightson.co.nz/our-company/View our Customer Account Terms.



Date of Manufacture:

Batch Number:

HANDLING PRECAUTIONS

STORAGE: Keep out of reach of children. Store in original container, tightly closed and in a locked dry, cool, well ventilated area, away from foodstuffs. Storage must be in accordance with current version of NZS 8409 Management of Agrichemicals. When stored appropriately this product should show no significant degradation for three years from the date of manufacture. Contact your supplier for further information about the use of product that is older than this.

PERSONAL PROTECTION: Use only outdoors in a well-ventilated area. In case of inadequate ventilation wear a respirator with an organic vapour filter. When mixing or applying, wear eye protection, neoprene or PVC gloves and protective clothing. Avoid contact with skin and eyes and avoid breathing spray mist. Wash hands and face before meals and after work. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before re-use. Wash protective clothing after work. Do not eat, drink or smoke while using.

EQUIPMENT: Apply using accurately calibrated equipment in accordance with The New Zealand Standard for the Management of Agrichemicals (NZS8409).

PRODUCT DISPOSAL: Dispose of product only by using in accordance with label directions, through the Agrecovery® Chemical Recovery service, or at an approved landfill.

CONTAINER DISPOSAL: Triple rinse container and add residue to spray tank. Take empty container to an Agrecovery® collection site. If this is not possible bury in an approved landfill. Do not contaminate aquatic environment with product or empty container.

FIRST AID: If medical advice is needed, have product container or label at hand. If exposed or concerned contact the National Poisons Centre on 0800 POISON (0800 764 766) or a doctor. IF SWALLOWED: Rinse mouth; DO NOT induce vomiting. Contact a Poisons Centre or doctor immediately. IF INHALED: Remove patient to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms contact a Poisons Centre or doctor. IF IN EYES: Hold eyelids apart and rinse the eye continuously with running water for at least 15 minutes. Remove contact lenses, if present and easy to do, and continue rinsing. Contact a Poisons Centre or doctor for advice. IF ON SKIN: Remove contaminated clothing and flush skin and hair with running water. If skin irritation or rash occur contact a Poisons Centre or doctor.

RECORD KEEPING: A person in charge of this substance must ensure that a written record is kept of each application or discharge of the substance if more than 200ml is applied or discharged within 24 hours where, (a) members of the public may lawfully be present; or (b) the substance is likely to enter air or water and leave the place.

SAFETY DATA SHEET: If additional hazard or safety information is required, refer to the Safety Data Sheet.

TRANSPORT: Packages greater than 1 litre of this substance are not permitted on passenger service vehicles.

SPILLAGE: Wear appropriate protective clothing and prevent material from entering waterways. Absorb spills with inert material and place in waste containers. Sweep up solids without creating Dust. Wash area with water then absorb with further inert material. Dispose of waste safely in approved landfill.

DIRECTIONS FOR USE

Apply ensuring the treated area is thoroughly wet. When applying to growing plants test a small sample to ensure that treatment will not be harmful. The foliage of some plants may be damaged if contacted with the spray.

It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Compounds.

It is an offence to use this product on animals.

Area of Use	Application Rate	
Potted Ornamentals	100-150 ml per 10 litres of water	Spray media/soil in pot, ensuring good coverage of liverwort and moss. Where spray contacts foliage, irrigate within 30 minutes of application, to wash spray from foliage.
Glasshouses	100-200 ml per 10 litres of water	Spray to runoff and leave for 24 hours. For big problem areas wash 24 hours after first spray and reapply. Repeat where necessary.
Fine Turf and Cotula	250-500 ml per 10 litres of water or 2 to 5 litres per 100 litres water/1000sqm	Ensure target area is well watered prior to application of product. Good spray coverage is important.
Veg & Fruit Boxes, Patio & Earthenware	100 ml per 10 litres of water	Remove excess dirt and dip in solution for 30 minutes, remove and allow to dry.
Shade cloth, Windbreak, Synthetic turf, Weedmat	150 ml per 10 litres of water	Spray on area to be treated.
Patio Areas	200 ml per 10 litres of water	For heavy infestation clean off after 48 hours and reapply. Repeat if necessary.
Sanitiser	75 ml per 10 litres of water	Use as a wash or spray as required.

! DANGER Keep out of reach of children.



SURRENDER®

FOR THE CONTROL OF MOSS LICHEN LIVERWORT & ALGAE

Active Ingredient: Contains 500g/litre benzalkonium chloride in the form of a soluble concentrate



Read the label completely before use.

24 Hour Emergency Response 0800 CHEM CALL (0800 243 622)

1 L
Net Contents

Registered to and distributed by:

agritrade®

1 Robin Mann Place, Christchurch Airport, PO Box 292, Christchurch 8140, New Zealand
Phone 03 341 4587 | Fax 03 341 4584

Registered pursuant to the ACVM Act 1997, No.P4649. See www.foodsafety.govt.nz for registration conditions.

Approved pursuant to the HSNO Act 1996, HSR000822.

See www.epa.govt.nz for Controls and www.worksafe.govt.nz for further compliance information.

! DANGER Keep out of reach of children.



SURRENDER[®]

FOR THE CONTROL OF MOSS, LICHEN, LIVERWORT & ALGAE

Active Ingredient: Contains 500g/litre benzalkonium chloride in the form of a soluble concentrate



Read the label completely before use.
24 Hour Emergency Response 0800 CHEM CALL (0800 243 622)

Net Contents **5 L**

Registered to and
distributed by:

agritrade[®]

1 Robin Mann Place, Christchurch
Airport, PO Box 292, Christchurch 8140,
New Zealand
Phone 03 341 4587 | Fax 03 341 4584
www.nzagritrade.co.nz

Registered pursuant to the ACVM Act 1997, No.P4649
See www.foodsafety.govt.nz for registration conditions.
Approved pursuant to the HSNO Act 1996, Approval Code HSR000822
See www.epa.govt.nz for approval control conditions



APPROVED HANDLER AND TRACKING

This product must be under the control of an approved handler when applied in a wide dispersive manner or by a commercial contractor. This product must be tracked – see current version of NZS 8409 Management of Agrichemicals.

HSNO CLASSIFICATIONS

6.1D, 8.2B, 8.3A, 9.1A, 9.3B

TOXICITY

Causes severe skin burns and eye damage.
Harmful if swallowed, inhaled or absorbed through the skin.

ECOTOXIC

Very toxic to aquatic organisms. Do not apply onto or into water. Avoid contamination of any water supply with product or empty container.

Harmful to terrestrial vertebrates.

Take all reasonable steps to ensure that the substance does not cause any significant adverse effects to the environment beyond the application area.

CONDITIONS OF SUPPLY

– Read before buying and using.

If these conditions are unacceptable, return at once unopened.

This product is of a high grade and conforms to

DIRECTIONS FOR USE

Apply ensuring the treated area is thoroughly wet. When applying to growing plants test a small sample to ensure that treatment will not be harmful. The foliage of some plants may be damaged if contacted with the spray.

It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Compounds.

It is an offence to use this product on animals.

Area of Use	Application Rate	
Potted Ornamentals	100-150 ml per 10 litres of water	Spray media/soil in pot, ensuring good coverage of liverwort and moss. Where spray contacts foliage, irrigate within 30 minutes of application, to wash spray from foliage.
Glasshouses	100-200 ml per 10 litres of water	Spray to runoff and leave for 24 hours. For big problem areas wash 24 hours after first spray and reapply. Repeat where necessary.
Fine Turf and Cotula	250-500 ml per 10 litres of water or 2 to 5 litres per 100 litres water/1000sqm	Ensure target area is well watered prior to application of product. Good spray coverage is important.
Veg & Fruit Boxes, Patio & Earthenware	100 ml per 10 litres of water	Remove excess dirt and dip in solution for 30 minutes, remove and allow to dry.
Shade cloth, Windbreak, Synthetic turf, Weedmat	150 ml per 10 litres of water	Spray on area to be treated.
Patio Areas	200 ml per 10 litres of water	For heavy infestation clean off after 48 hours and reapply. Repeat if necessary.
Sanitiser	75 ml per 10 litres of water	Use as a wash or spray as required.

the chemical description on the label. However, all warranties of any kind, expressed or implied, with respect to the fitness for purpose (including crop injury, ineffectiveness or any other unintended consequence), merchantable quality or any other matter, are expressly excluded. To the extent permitted by law, buyers and/or users accept that neither Agritrade (part of PGG Wrightson Ltd) as distributor, nor any other of its distributors, accept any liability (including in negligence, tort and equity) or responsibility whatsoever for any loss, damage or injury whether direct, indirect or consequential, howsoever arising in connection with this product including without limitation storage, application, handling or use. The Terms of Sale that apply to this product are located at pggwrightson.co.nz/our-company/View our Customer Account Terms.

Date of Manufacture:

Batch Number:

LIFT
HERE

HANDLING PRECAUTIONS

STORAGE: Keep out of reach of children. Store in original container, tightly closed and in a locked dry, cool, well ventilated area, away from foodstuffs. Storage must be in accordance with current version of NZS 8409 Management of Agrichemicals. When stored appropriately this product should show no significant degradation for three years from the date of manufacture. Contact your supplier for further information about the use of product that is older than this.

PERSONAL PROTECTION: Use only outdoors in a well-ventilated area. In case of inadequate ventilation wear a respirator with an organic vapour filter. When mixing or applying, wear eye protection, neoprene or PVC gloves and protective clothing. Avoid contact with skin and eyes and avoid breathing spray mist. Wash hands and face before meals and after work. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before re-use. Wash protective clothing after work. Do not eat, drink or smoke while using.

EQUIPMENT: Apply using accurately calibrated equipment in accordance with The New Zealand Standard for the Management of Agrichemicals (NZS8409).

PRODUCT DISPOSAL: Dispose of product only by using in accordance with label directions, through the Agrecovery[®] Chemical Recovery service, or at an approved landfill.

CONTAINER DISPOSAL: Triple rinse container and add residue to spray tank. Take empty container to an Agrecovery[®] collection site. If this is not possible bury in an approved landfill. Do not contaminate aquatic environment with product or empty container.

FIRST AID: If exposed or concerned contact the National Poisons Centre on 0800 POISON (0800 764 766) or a doctor. IF SWALLOWED: Rinse mouth; DO NOT induce vomiting. Contact a Poisons Centre or doctor immediately. IF INHALED: Remove patient to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms contact a Poisons Centre or doctor. IF IN EYES: Hold eyelids apart and rinse the eye continuously with running water for at least 15 minutes. Remove contact lenses, if present and easy to do, and continue rinsing. Contact a Poisons Centre or doctor for advice. IF ON SKIN: Remove contaminated clothing and flush skin and hair with running water. If skin irritation or rash occur contact a Poisons Centre or doctor.

RECORD KEEPING: A person in charge of this substance must ensure that a written record is kept of each application or discharge of the substance if more than 200ml is applied or discharged within 24 hours where, (a) members of the public may lawfully be present; or (b) the substance is likely to enter air or water and leave the place.

SAFETY DATA SHEET: If additional hazard or safety information is required, refer to the Safety Data Sheet.

TRANSPORT: Packages greater than 1 litre of this substance are not permitted on passenger service vehicles.

SPILLAGE: Wear appropriate protective clothing and prevent material from entering waterways. Absorb spills with inert material and place in waste containers. Sweep up solids without creating Dust. Wash area with water then absorb with further inert material.

Dispose of waste safely in approved landfill.



[Signature]

DANGER Keep out of reach of children.



SURRENDER[®]

FOR THE CONTROL OF MOSS, LICHEN, LIVERWORT & ALGAE

Active Ingredient: Contains 500g/litre benzalkonium chloride in the form of a soluble concentrate



Read the label completely before use.

24 Hour Emergency Response 0800 CHEM CALL (0800 243 622)

Net Contents **20 L**

Registered to and distributed by:
agritrade[®]

1 Robin Mann Place, Christchurch
Airport, PO Box 292, Christchurch 8140,
New Zealand
Phone 03 341 4587 | Fax 03 341 4584
www.nzagritrade.co.nz

Registered pursuant to the ACVM Act 1997, No.P4649
See www.foodsafety.govt.nz for registration conditions.

Approved pursuant to the HSNO Act 1996, HS000822.
See www.epa.govt.nz for Controls and www.worksafe.govt.nz
for further compliance information.



APPROVED HANDLER AND TRACKING

This product must be under the control of an approved handler when applied in a wide dispersive manner or by a commercial contractor. This product must be tracked – see current version of NZS 8409 Management of Agrichemicals.

HSNO CLASSIFICATIONS

6.1D, 8.2B, 8.3A, 9.1A, 9.3B

TOXICITY

Causes severe skin burns and eye damage. Harmful if swallowed, inhaled or absorbed through the skin.

ECOTOXIC

Very toxic to aquatic organisms. Do not apply onto or into water. Avoid contamination of any water supply with product or empty container.

Harmful to terrestrial vertebrates.

Take all reasonable steps to ensure that the substance does not cause any significant adverse effects to the environment beyond the application area.

CONDITIONS OF SUPPLY – Read before buying and using.

If these conditions are unacceptable, return at once unopened.

This product is of a high grade and conforms to the chemical description on the label. However, all warranties of any kind, expressed or implied, with respect to the fitness for purpose (including crop injury, ineffectiveness or any other unintended consequence), merchantable quality or any other matter, are expressly excluded. To the extent permitted by law, buyers and/or users accept that neither Agritrade (part of PGG Wrightson Ltd) as distributor, nor any other of its distributors, accept any liability (including in negligence, tort and equity) or responsibility whatsoever for any loss, damage or injury whether direct, indirect or consequential, howsoever arising in connection with this product including without limitation storage, application, handling or use. The Terms of Sale that apply to this product are located at pggwrightson.co.nz/our-company/View our Customer Account Terms.

Date of Manufacture:



Batch Number:

[Signature]

HANDLING PRECAUTIONS

STORAGE: Keep out of reach of children. Store in original container, tightly closed and in a locked dry, cool, well ventilated area, away from foodstuffs. Storage must be in accordance with current version of NZS 8409 Management of Agrichemicals. When stored appropriately this product should show no significant degradation for three years from the date of manufacture. Contact your supplier for further information about the use of product that is older than this.

PERSONAL PROTECTION: Use only outdoors in a well-ventilated area. In case of inadequate ventilation wear a respirator with an organic vapour filter. When mixing or applying, wear eye protection, neoprene or PVC gloves and protective clothing. Avoid contact with skin and eyes and avoid breathing spray mist. Wash hands and face before meals and after work. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before re-use. Wash protective clothing after work. Do not eat, drink or smoke while using.

EQUIPMENT: Apply using accurately calibrated equipment in accordance with The New Zealand Standard for the Management of Agrichemicals (NZS8409).

PRODUCT DISPOSAL: Dispose of product only by using in accordance with label directions, through the Agrecovery[®] Chemical Recovery service, or at an approved landfill.

CONTAINER DISPOSAL: Triple rinse container and add residue to spray tank. Take empty container to an Agrecovery[®] collection site. If this is not possible bury in an approved landfill. Do not contaminate aquatic environment with product or empty container.

DIRECTIONS FOR USE

Apply ensuring the treated area is thoroughly wet. When applying to growing plants test a small sample to ensure that treatment will not be harmful. The foliage of some plants may be damaged if contacted with the spray.

It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Compounds.

It is an offence to use this product on animals.

Area of Use	Application Rate	
Potted Ornamentals	100-150 ml per 10 litres of water	Spray media/soil in pot, ensuring good coverage of liverwort and moss. Where spray contacts foliage, irrigate within 30 minutes of application, to wash spray from foliage.
Glasshouses	100-200 ml per 10 litres of water	Spray to runoff and leave for 24 hours. For big problem areas wash 24 hours after first spray and reapply. Repeat where necessary.
Fine Turf and Cotula	250-500 ml per 10 litres of water or 2 to 5 litres per 100 litres water/1000sqm	Ensure target area is well watered prior to application of product. Good spray coverage is important.
Veg & Fruit Boxes, Patio & Earthenware	100 ml per 10 litres of water	Remove excess dirt and dip in solution for 30 minutes, remove and allow to dry.
Shade cloth, Windbreak, Synthetic turf, Weedmat	150 ml per 10 litres of water	Spray on area to be treated.
Patio Areas	200 ml per 10 litres of water	For heavy infestation clean off after 48 hours and reapply. Repeat if necessary.
Sanitiser	75 ml per 10 litres of water	Use as a wash or spray as required.

FIRST AID: If exposed or concerned contact the National Poisons Centre on 0800 POISON (0800 764 766) or a doctor. IF SWALLOWED: Rinse mouth; DO NOT induce vomiting. Contact a Poisons Centre or doctor immediately. IF INHALED: Remove patient to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms contact a Poisons Centre or doctor. IF IN EYES: Hold eyelids apart and rinse the eye continuously with running water for at least 15 minutes. Remove contact lenses, if present and easy to do, and continue rinsing. Contact a Poisons Centre or doctor for advice. IF ON SKIN: Remove contaminated clothing and flush skin and hair with running water. If skin irritation or rash occur contact a Poisons Centre or doctor.

RECORD KEEPING: A person in charge of this substance must ensure that a written record is kept of each application or discharge of the substance if more than 200ml is applied or discharged within 24 hours where, (a) members of the public may lawfully be present; or (b) the substance is likely to enter air or water and leave the place.

SAFETY DATA SHEET: If additional hazard or safety information is required, refer to the Safety Data Sheet.

TRANSPORT: Packages greater than 1 litre of this substance are not permitted on passenger service vehicles.

SPILLAGE: Wear appropriate protective clothing and prevent material from entering waterways. Absorb spills with inert material and place in waste containers. Sweep up solids without creating Dust. Wash area with water then absorb with further inert material.

Dispose of waste safely in approved landfill.