

HARMFUL
Keep out of Reach of children

ALIETTE®WG

Contains : 800 g/kg fosetyl-aluminium in the form of water dispersible granules

Net Contents
1kg

Fungicide

A systemic fungicide for the control of *Phytophthora* in ornamentals, certain applications in apples and non-bearing apples, avocados, citrus and kiwifruit.

Registered pursuant to the ACVM Act 1997, No P2984
See www.foodsafety.govt.nz/ for registration conditions.

Approved pursuant to the HSNO Act 1996, No HSR000483
See www.epa.govt.nz for approval conditions


Maureen Lindsay
Manager Approvals Operations
Regulation and Assurance



HSNO Classifications: 6.1E, 6.3B, 8.3A, 9.1C



WARNING:

May be harmful if swallowed.

Harmful - may cause skin irritation.

Danger – this product is corrosive and may cause eye damage.

Toxic to aquatic organisms.

PRECAUTIONS:

PERSONAL PROTECTION:

Do not eat, drink or smoke while using.

Wear protective clothing such as impervious gloves, waterproof hat, coat and trousers when using.

Remove protective clothing and wash hands and face thoroughly before meals and after work.

May be harmful if swallowed, inhaled or absorbed through the skin. Avoid skin contact or inhalation. Avoid contact with the eyes.

STORAGE: Store in original container tightly closed and in a locked dry, cool, well ventilated area, away from food stuffs.

SPILLS AND DISPOSAL: When dealing with spills wear personal protective clothing and equipment as described in the PERSONAL PROTECTION section. Sweep up spilled material, collect and store in properly labelled, sealed drums for safe disposal. Avoid creating dust. If spray mixture is spilled, contain and absorb in suitable inert absorbent material and collect in drums as above. Deal with all spillages immediately. If contamination of drains, streams, watercourses, etc. is unavoidable, warn the local water authority.

Disposal.: Dispose of this product only by using according to the label or at an approved landfill. Avoid contamination of any water supply with product or empty container.

Container Disposal: Ensure container is completely empty. Burn if circumstances, especially wind direction, permit. Otherwise bury in a suitable land fill.

FIRST AID:

If swallowed do NOT induce vomiting.

For advice, contact the National Poisons Centre 0800 POISON (0800 764766) or a doctor immediately.

If skin contact occurs, remove contaminated clothing and flush skin with running water, if irritation occurs seek medical advice. If splashed in eyes, wash out immediately with water, if irritation persists get medical advice.

If inhaled move the victim to fresh air immediately.

Alette WG is a systemic fungicide recommended for use as a foliar spray to control Phytophthora in ornamentals, certain applications in apples and non-bearing apples, avocados, citrus and kiwifruit.

It is an offence to use this product on animals.



15 August 2016



DIRECTIONS FOR USE:			
Recommended Uses: Foliar sprays			
Crop	Rate	Timing	Comments
Ornamentals Non-bearing: -Apples -Avocados -Kiwifruit -Citrus	250-500g/litres	Apply at monthly intervals particularly during periods of high disease pressure in the spring & autumn.	Use the lower rate as a preventative treatment and the higher rate if plants are already showing signs of <i>Phytophthora</i> infection.
Apples	250g/100 litres	Apply 2 sprays at 28 day intervals in the spring. A further 1-2 spray should be applied at monthly intervals after harvest.	Spring application should not be applied until plants have sufficient foliage cover to absorb the material. Spring treatments protect plants over the late spring-early summer period. Autumn applications should be made after harvest prior to leaf fall. These provide protection to plants over the autumn, winter and early spring period.

It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Compounds.

WITHHOLDING PERIOD: Apples 100 days

Mixing: Add the required amount of Aliette WG to clean water in the spray tank. Ensure thorough mixing before spraying.

Application: Apply through any standard sprayer capable of giving uniform coverage. Aliette WG is recommended as a high volume foliar spray applied to the point of run-off.

Compatibility: Aliette WG is best applied alone. It may be mixed with some pesticides, but check compatibility prior to use. Do not mix Aliette WG with nitrogen based foliar fertilisers, copper sprays or oil based sprays.

Additional Information

Aliette WG has proven to be safe on a range of ornamentals and fruit crops, however, growers are advised to test for plant safety on more sensitive or less common ornamentals prior to widespread use.

Aliette WG should be used as a preventative treatment. Although the chemical does possess some curative properties, these may be insufficient to control severe infections.

Aliette WG is both foliage and root absorbed.

Aliette WG is very rapidly absorbed into the foliage and translocated throughout the plant. Badly affected plants may have insufficient leaf area to absorb sufficient chemical, and be suffering severe root damage beyond the point of recovery.

Removal of infected plants and improvements to drainage will aid the long term control programme in the nursery.

15 August 2016



**CONDITIONS OF SUPPLY;
READ THESE CONDITIONS OF SUPPLY BEFORE BUYING AND USING. IF
THESE CONDITIONS ARE UNACCEPTABLE, RETURN AT ONCE
UNOPENED.**

To the extent permitted by law Bayer does not accept any liability or responsibility whatsoever for any loss, damage or injury whether direct, indirect or consequential howsoever arising in connection with these goods, including without limitation their storage, application, handling or use. Bayer does not make any warranties (express or implied) with respect to fitness for purpose, merchantable quality or any other matter.

To the extent only that Bayer is prevented by law from contracting out of the Consumer Guarantees Act, then these conditions apply subject to that Act. The Act shall not apply where these goods are acquired for business purposes.

Date of Manufacture:

Batch No:

Aliette® is a registered trademark of the Bayer Group

Registered to:

Bayer New Zealand Limited
3 Argus Place, Hillcrest, Auckland 0627

Ph. 0800 428 246

EMERGENCY RESPONSE SERVICE (24 hrs) 0800 734 607

Bayer



15 August 2016

