

HARMFUL, ECOTOXIC
KEEP OUT OF REACH OF CHILDREN



HERBICIDE

Contains: 350g/litre terbuthylazine, 60g/litre amitrole, 15g/litre oxyfluorfen and 100g/litre glyphosate in the form of a suspension concentrate

Fast acting Knockdown & Residual Herbicide

**Total vegetation control for non-croplands
and selected orchard crops**

PLEASE READ ENTIRE LABEL BEFORE MIXING OR APPLYING. SHAKE OR STIR WELL BEFORE USE.

HAZARD CLASSIFICATION: 6.1E, 6.4A, 6.8B, 6.9B, 9.1A, 9.2A, 9.3C

APPROVED HANDLER: This product must be under the control of an approved handler during use.

RECORD KEEPING: Records of use must be kept under certain circumstances. See SDS for details.

WARNING: May be harmful if swallowed, inhaled or absorbed through the skin. May cause eye irritation. Avoid contact with eyes. May cause reproductive/developmental damage and organ damage from repeated oral exposure at high doses.

FIRST AID: If swallowed DO NOT induce vomiting. For advice contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. If splashed in eyes, wash out immediately with water for at least 15 minutes. If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. DO NOT SCRUB THE SKIN.

PERSONAL PROTECTION: Avoid skin and eye contact and inhalation of spray mist. When mixing or applying wear waterproof gloves, eye protection, boots and overalls. DO NOT eat, drink or smoke while using. Wash splashes of concentrate from skin immediately. Remove protective clothing and wash hands and face thoroughly before meals and after work. Wash protective clothing daily after work.

STORAGE: Store in original container, tightly closed, away from foodstuffs.

DISPOSAL: Triple rinse empty container and add rinsate to the spray tank. If recycling, discard cap and deliver clean container to an Agrecovery depot. Alternatively crush and bury in an approved landfill. Dispose of product only by using according to this label, or at an approved disposal facility.

ECOTOXICITY: Very toxic to aquatic organisms. Avoid contamination of any water supply with product or empty container. Very toxic to the soil environment. Harmful to terrestrial vertebrates.

SAFETY DATA SHEET: Additional information is listed in the Safety Data Sheet available from Lonza NZ Ltd or www.lonza.co.nz

Approved pursuant to the HSNO Act 1996, No: HSR007866. See www.epa.govt.nz for approval conditions.

Registered pursuant to the ACVM Act 1997, No. P007734. See www.foodsafety.govt.nz for registration conditions.

DIRECTIONS FOR USE

BEWARE: Apply this product carefully. Spray drift may cause serious damage to other desirable plants.

TAG G2 will control nearly all annual and perennial grasses in non-cropland areas.

TAG G2 will give up to 12 months residual activity on a wide range of species.

USE	RATES			CRITICAL COMMENTS
	Boom	Handgun	Knapsack	
Non Cropland Perennial weeds or long term residual control (6-12 months) - Fence lines - Tracks/driveways - Yards	20-25 litres/ha	2 litres/100 litres	25 mL/litre	Mix in sufficient water to obtain even coverage. Apply in spring or autumn when all weeds are growing actively, and while soil is moist. Do not apply under drought conditions. In dusty conditions add a non-ionic surfactant such as Multi-Film Extra®. Maximum application of twice per year.
Orchard Crops Annual weeds or short term residual control (1-3 months) - Citrus - Grapes - Kiwifruit - Pipfruit	6 litres/ha	600 mL/100 litres	6 mL/litre	Do not use around any trees or vines less than 3 years old. Do not allow the spray mixture to contact any crop foliage, fruit or green bark. Apply in spring or autumn as a directed spray to the base of the tree or vine. Apply when kiwifruit, grapevines and berryfruit are dormant. Maximum application of 6 times per year.

It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Compounds.

WARNING: Care must be taken around non-absorbent surfaces such as cobblestones, driveways and concrete paths so that runoff does not reach the roots of desirable plants.

APPLICATION: Ensure complete coverage of weeds and bare ground for residual control. Maintain agitation throughout spraying.

Knapsack: Each litre of spray mix should treat 10m².

Handgun: 100 litres of spray mix should treat 1,000m².

Boom: Use a suitable water rate to achieve complete coverage of weeds.

Sprayer Clean-up: To avoid injury to subsequently sprayed sensitive crops, thoroughly remove all traces of TAG G2 from mixing and spray equipment. Thoroughly clean all sprayer parts with several flushes of clean water. Dispose of all washings safely

COMPATIBILITY: May be tank mixed with most other herbicides.

RESISTANCE MANAGEMENT: **GROUP C1+F3+E+G HERBICIDE** TAGG2 contains a triazine herbicide that inhibits photosynthesis at photosystem II plus a triazole herbicide that inhibits carotenoid biosynthesis plus a diphenyl ether herbicide that inhibits protoporphyrinogen oxidase plus a glycine herbicide that inhibits EPSP synthase. Despite this four way mixture making TAGG2 a robust resistance management tool, naturally occurring resistant biotypes could develop. To minimise this risk use strictly in accordance with label instructions and use other mode of action herbicides periodically. For further information see www.resistance.nzpps.org

NOTICE TO BUYER: The manufacturer and vendors of TAG G2 warrant the formulation to contain the specified active ingredient within accepted tolerance but make no warranty of any kind on the uses of material and accept no responsibility, whether the material is used in accordance with the label directions or not.

REGISTERED TO: Lonza NZ Limited, Hudson Rd,
New Plymouth, New Zealand
Tel: 06 755-9234 Fax: 06 755-1174
EMERGENCY PHONE: 0800 CHEMCALL 0800 243 6225



BATCH NO:
D.O.M: