



**THE ANDERSONS
SAFETY DATA SHEET**

DATE PREPARED: 10/24/04

CURRENT AS OF: 9/10/20

SECTION 1: PRODUCT / SUPPLIER IDENTIFICATION

PRODUCT CODE: APPNZ8712.1

PRODUCT NAME: The Andersons Paclo-Pro 31+1+6 Fertilizer with Turf Growth Regulator

PRODUCT USE: Fertilizer

MFR INFO: The Andersons Lawn Products
PO Box 119
Maumee, Ohio, USA 43537

FOR EMERGENCY: (800) 757-8951

FOR INFORMATION: (419) 893-5050

SECTION 2: HAZARDS IDENTIFICATION

HAZARD SYMBOLS / STATEMENTS:



WARNING

**MAY CAUSE SEVERE EYE IRRITATION
MAY CAUSE SKIN IRRITATION
MAY CAUSE DAMAGE TO LIVER / KIDNEY ON
REPEATED EXPOSURE
MAY CAUSE RESPIRATORY IRRITATION**

HAZARD CLASSIFICATIONS:

SKIN IRRITATION

EYE IRRITATION

SPECIFIC TARGET ORGAN TOXICITY

- *REPEATED EXPOSURE*

SPECIFIC TARGET ORGAN TOXICITY

- *SINGLE EXPOSURE*

CATEGORY

2

2A

2

3

INTERPRETATION

May cause skin irritation

May cause severe eye irritation

May cause damage to the blood and liver
through prolonged or repeated exposure

May cause irritation to respiratory tract

PRECAUTIONARY STATEMENTS:

- *KEEP OUT OF REACH OF CHILDREN*
- *READ LABEL BEFORE USE*
- *IF MEDICAL ADVICE IS NEEDED, HAVE PRODUCT CONTAINER OR LABEL ON HAND*
- *CALL A POISON CENTER / PHYSICIAN IF UNWELL*
- *IF ON SKIN, WASH WITH PLENTY OF SOAP AND WATER*
- *IF SKIN IRRITATION OCCURS, GET MEDICAL ADVICE*
- *IF IN EYES, RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES – REMOVE CONTACT LENSES*
- *IF EYE IRRITATION PERSISTS, GET MEDICAL ADVICE*
- *WASH HANDS AFTER HANDLING*
- *USE ONLY OUTDOORS OR IN WELL VENTILATED AREAS*
- *AVOID BREATHING DUST*
- *IF INHALED, REMOVE TO FRESH AIR AND KEEP AT REST IN A POSITION COMFORTABLE FOR BREATHING*
- *STORE CONTAINER TIGHTLY CLOSED*
- *DISPOSE OF CONTENTS / CONTAINER IN ACCORDANCE WITH NATIONAL / REGIONAL / LOCAL REGULATIONS*

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

<u>CHEMICAL IDENTITY</u>	<u>SYNONYM</u>	<u>CAS NUMBER</u>	<u>CONCENTRATION (%)</u>
Methylene ureas		Mixture	35-45
Urea		57-13-6	30-40
Potassium sulfate	Sulfate of potash	7778-80-5	10-20
Limestone		1317-65-3	1-10
Monoammonium phosphate	MAP	7722-76-1	1-10
N-methyl-2-pyrrolidone	NMP; M-pyrol	872-50-4	1-10
Paclobutrazol		76738-62-0	0.1-1

SECTION 4: FIRST AID MEASURES

IF INHALED:	Move victim to fresh air. Seek medical attention if irritation persists.
IF ON SKIN:	Wash affected areas with soap and water. Seek medical attention if irritation persists. Wash contaminated clothing before re-use.
IF IN THE EYES:	Immediately flush with water for at least 20 minutes. Seek medical attention if irritation persists.
IF SWALLOWED:	If victim is alert and not convulsing, give one glass of water to dilute material, but DO NOT induce vomiting. Seek immediate medical attention.
SPECIAL TREATMENT:	None known
HEALTH HAZARDS:	See Section 11

SECTION 5: FIREFIGHTING MEASURES

EXTINGUISHING MEDIA:	Use media suitable for surrounding fire. No special media required.
SPECIFIC FIRE HAZARDS:	Decomposition products may be toxic.
SPECIAL FIREFIGHTING PROCEDURES:	Wear full protective clothing and positive-pressure self-contained breathing apparatus.

SECTION 6: ACCIDENTAL RELEASE MEASURES

SPILL / RELEASE PROCEDURES:	Collect spilled product and store to re-use. Contaminated product and/or environmental media should be recovered and disposed of properly.
ENVIRONMENTAL PRECAUTIONS:	Prevent spilled material from entering storm drains or water bodies.
PROTECTIVE EQUIPMENT:	See Section 8

SECTION 7: HANDLING AND STORAGE

Store in a cool, dry, well ventilated area. Do not store above 120° F.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTIONEXPOSURE LIMITS:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

<u>HAZARDOUS COMPONENT</u>	<u>OSHA PEL</u>	<u>ACGIH TLV</u>
Methylene ureas	15 mg/m ³ (total) 5 mg/m ³ (respirable)	10 mg/m ³ (inhalable) 3 mg/m ³ (respirable)
Urea	15 mg/m ³ (total) 5 mg/m ³ (respirable)	10 mg/m ³ (inhalable) 3 mg/m ³ (respirable)
Potassium sulfate	15 mg/m ³ (total) 5 mg/m ³ (respirable)	10 mg/m ³ (inhalable) 3 mg/m ³ (respirable)
Limestone	15 mg/m ³ (total) 5 mg/m ³ (respirable)	10 mg/m ³ (inhalable) 3 mg/m ³ (respirable)
Monoammonium phosphate	15 mg/m ³ (total) 5 mg/m ³ (respirable)	10 mg/m ³ (inhalable) 3 mg/m ³ (respirable)

PERSONAL PROTECTIVE EQUIPMENT / PROTECTION MEASURES / CONTROLS:

RESPIRATORY PROTECTION:	NIOSH approved pesticide respirator, if required
EYE PROTECTION:	Safety glasses with sideshields, goggles, or faceshield recommended
SKIN PROTECTION:	Long sleeves, chemical-resistant gloves recommended
VENTILATION:	Local exhaust ventilation recommended

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR:	Multi-colored granules, with slight ammonia / sulfur odor
pH:	Not available
MELTING POINT:	Not available
BOILING POINT:	Not applicable
FLASH POINT:	Not flammable
EVAPORATION RATE:	Not applicable
FLAMMABLE LIMITS:	Not applicable
VAPOR PRESSURE:	Not applicable
VAPOR DENSITY:	Not applicable
SPECIFIC GRAVITY:	Not applicable
SOLUBILITY (IN WATER):	Partially soluble
PARTITION COEFFICIENT:	Not applicable
AUTOIGNITION TEMP:	Not applicable
DECOMPOSITION TEMP:	Not applicable
ODOR THRESHOLD:	Not available
VISCOSITY:	Not applicable

SECTION 10: STABILITY AND REACTIVITY

STABILITY:	Product is stable
CONDITIONS TO AVOID:	Excessive heat (over 200°F)
INCOMPATIBILITY:	Strong oxidizers, alkalis, acids, hypochlorites
HAZARDOUS DECOMPOSITION PRODUCTS:	HCN, NO _x , CO _x , PO _x NH ₃ , SO _x , cyanuric acid

SECTION 11: TOXICOLOGICAL INFORMATION

HEALTH EFFECTS: May be irritating to the nose, throat, and respiratory tract, and may cause sore throat, coughing, and shortness of breath. Skin irritation may result. May also be irritating to the eyes and cause a burning sensation in the eyes. Ingestion may result in sore throat, abdominal pain, nausea, vomiting, and diarrhea. The active ingredient can cause central nervous system depression after significant inhalation exposures.

CARCINOGENICITY: None of the ingredients are known / listed carcinogens. However, product may contain trace amounts of inorganic fluorides and crystalline silica. Fluorides have been suggested as a reproductive hazard and a carcinogen. Crystalline silica is listed by IARC as a potential human carcinogen.

INGREDIENT TOXICITY RANGES:

ORAL: > 2,000 mg/kg (paclobutrazol) – 14,300 mg/kg (urea)

DERMAL: > 2,000 mg/kg (paclobutrazol) – 7,000 mg/kg (M-pyrol)

INHALATION: > 2.02 mg/L (paclobutrazol) – > 5.0 mg/L (M-pyrol)

SECTION 12: ECOLOGICAL INFORMATION

This product is not known to be ecotoxic, persistent, or have the potential to bioaccumulate.

SECTION 13: DISPOSAL CONSIDERATIONS

Dispose of in accordance with all national, regional / state, and local regulations. Reuse recovered product where possible.

SECTION 14: TRANSPORT INFORMATION

This product is not regulated as a transportation hazard.

SECTION 15: REGULATORY INFORMATION

SARA SECTION 311 / 312: ACUTE HAZARD

SECTION 16: OTHER INFORMATION

NFPA RATINGS: HEALTH 1
FLAMMABILITY 0
INSTABILITY 0

HMIS RATINGS: HEALTH 1
FLAMMABILITY 0
PHYSICAL HAZARD 0

ACTIVE INGREDIENT LEVEL (%): 0.42 as paclobutrazol

SDS ID NO: 5117

PREPARED BY: TS

The information and data contained herein is based upon facts considered to be correct as of the date hereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. In no event will The Andersons be responsible for damages of any nature whatsoever resulting from the use or reliance upon this information. No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose or of any other nature are made hereunder with respect to information or the product to which this information refers.